libd

Lessons learned from the DNA of individuals with psychiatric disorders

Daniel R. Weinberger, M.D.

Lieber Institute for Brain Development Departments of Psychiatry, Neurology, Neuroscience, and Genetic Medicine Johns Hopkins University School of Medicine Baltimore, Maryland 21205

www.libd.org



LIEBER INSTITUTE for

BRAIN DEVELOPMENT MALTZ RESEARCH LABORATORIES





GENET LES WIT	CS OF BRAIN SONS LEARNED FROM THE DNA OF INDIVIDUALS H PSYCHIATRIC DISORDERS	
A	PEAK AT SOME OF THE LESSONS LEARNED:	
1.	Literally many hundreds of regions of the genome that increase risk for mental illness have been identified	
2.	The statistics are strong but the effects of individual genetic loci are very weak	
3.	Genetic risk does not respect DSM guidelines	
4.	Prediction of individual illness liability based on genomic risk is so far not of clinical value	
5.	Ancestry matters	
6.	GWAS is a treasure map, but to find the treasure (i.e. the genes) requires a lot more digging	
7.	The environment still matters	
8.	Genetic discoveries provide biological insights into brain mechanisms of illness and potential strategies for treatment and prevention	
5		











WEAK	11007		- 0			J	50	• •			10	/ \ _
NEAN												
	SNP		CHR E	3P	P		OR	S	E A1A	2 FRQ_A_7	4776 FI	RQ_U_101023
	rs140365013		6	2752386	9	1.205E-39	1.22	838	0.0156 G/A		0.931	0.314
	rs58120505		7	202986	7	6.265E-28	1	.086	0.0075 T/C		0.582	0.557
	rs1790135		12	12366923		6.908E-24	1.08	785	0.0084 C/T		0.32	0.281
Schizophrenia	rs12571643		10	10452027	<u>/</u>	1.246E-23	1.12	019	.0113 G/A		0.863	0.856
	rs4702		15	914265)	1.757E-23	1.0	822	.0079 G/A		0.400	0.432
	rs2710323		3	5281590	<u>i</u>	3.175E-22	1.07	433	.0074 T/C		0.525	0.512
	rs4298967		12	240819		1.279E-21	1	.086	J.0086 A/G		0.279	0.282
	rs13107325		4	10318870	9	1.919E-21	0.85	496	0.0165 C/T		0.925	0.936
	rs2139054		2	5815658	3	1.045E-20	0.9	309	0.0077 A/C		0.35	0.379
	rs7779548		7	13707454	0	821E-19	1.0	17° J	0.0079 G/A		0.686	0.66
	Table	1 Gen	ome-wide	significant loci	for BD	from	ny	,917 case	es and 371,549 cor	trols		
	Table	1 Gen CHR	ome-wide BP	significant loci SNP	for BD	from an OR s.	. A1/ A2	,917 case	es and 371,549 cor Previous report ^a for BD (citation)	trols Name for novel lo	cus ^{te} Previo	us ° for
	Table Locus	1 Gen CHR	ome-wide BP	significant loci SNP	for BD	from ar OR s.	ny	,917 case fre. 1 contr	es and 371,549 cor Previous report* for BD (citation)	trols Name for novel loo	cus ^b Previc report psych disorc	us ²for atric ers
Bipolar Disorder	Table Locus	1 Gen CHR	ome-wide BP 61105666	significant loci SNP 8 rs2126180	for BD	from	ny	,917 case fre. 11 contr	es and 371,549 cor Previous report ^a for BD (citation)	trois Name for novel loo	cus ⁶ Previc report psych disord	us * for atric lers
Bipolar Disorder	Table Locus 1 2	1 Gen CHR	61105666 1637453	significant loci SNP 8 rs2126180 89 rs1073749	for BD 1 P 1.6×10 7.2×10	from OR s. OR s. 0-* 1.058 0. 0-* 1.056 0.	11 9	917 case fre. 1 contr 0.457 0.444	es and 371,549 cor Previous report* for BD (citation)	LINC01748 NUF2	cus ^b Previc report psych disorc CDG	us *for iatric iers
Bipolar Disorder	Table Locus 1 2 3 [€]	1 Gen CHR 1 1 2	61105666 97416153	e significant loci SNP 8 rs2126180 89 rs1073749 8 rs4619651	for BD P 1.6×10 7.2×10 4.8×1	OR 5.	- A1/ A2 109 A/G 109 C/T 110 G/A	917 case fre. 1 contr 0.457 0.444 0.670	es and 371,549 cor Previous report ⁴ for BD (citation)	trols Name for novel lo LINC01748 NUF2	CDG CDG CDG	us for tric ters
Bipolar Disorder	Table Locus 1 2 3° 4	1 Gen CHR 1 1 2 2	61105664 16374531 97416153 16615238	significant loci SNP 8 rs2126180 9 rs1073749 8 rs4619651 99 rs1718381	for BD P 1.6×10 7.2×10 4.8×1 2.7×10	From OR s. OR s. D-7 1.058 0. D-7 1.056 0. D-7 1.068 0. D-8 1.108 0.	 A1/ A1/ A2 A2 A/G A/G C/T G/A A/A 	917 case fre. 1 contr 0.457 0.444 0.670 0.924	es and 371,549 cor Previous report ^a for BD (citation) MAN2L (PGC2) ZN2A (PGC2)	trois Name for novel loo LINC01748 NUF2	cus ^b Previc report psych disord CDG CDG	us *for iatric iers
Bipolar Disorder	Table Locus 1 2 3 4 5	1 Gen CHR 1 1 2 2 2	61105666 16374531 97416153 16615238 1694818	significant loci SNP 8 rs2126180 9 rs1073749 1 rs4619651 99 rs1718381 77 rs1341726	for BD P 1.6×10 7.2×10 4.8×1 2.7×10 2.1×10 4.2×11 2.1×10	from −	 A1/ A1/ A2 A2 A/G A/G C/T A/G C/T A/G A/G A/G A/G A/G 	917 case fre. 1 0.457 0.444 0.670 0.925 0.925	es and 371,549 con Previous report* for BD (citation) MAN2L (PGC2) ZNZA (PGC2)	trols Name for novel los LINC01748 NUF2 CERS6	cus ^b Previc report psych disorc CDG CDG	us for atric ers
Bipolar Disorder	Table Locus 1 2 3* 4 5 6 7	1 Gen CHR 1 1 2 2 2 2 2 2 2	ome-wide BP 61105666 16374531 97416153 16615238 1694818 1937383	 significant loci SNP s2126180 rs2126180 rs21073749 rs2619651 rs1718381 rs1341726 rs2011302 rs2011302 	for BD P 1.6×10 7.2×10 4.8×11 2.7×10 2.1×10 4.3×11 4.9×11	from 2 w OR s. 0 ^{-*} 1.058 0. 0 ^{-*} 1.056 0. 0 ^{-*} 1.068 0. 0 ^{-*} 1.064 0. 0 ^{-*} 1.055 0. 0 ^{-*} 1.055 0.	 A1/ A1/ A2 A2 A3 A4 C/T <	917 case fre. 1 contr 0.457 0.444 0.670 0.924 0.758 0.375	es and 371,549 cor Previous report* for BD (citation) MAN2L (PGC2) 2N2A (PGC2)	trois Name for novel low LINC01748 NUF2 CERS6 PCGEM1	cus ^b Previc report psych disorc CDG CDG CDG CDG	us far attric ters
Bipolar Disorder	Table Locus 1 2 3* 4 5 6 7 8*	1 Gen CHR 1 1 2 2 2 2 2 2 2 3	61105666 16374531 97416153 16615238 1694818 1937383 1944378 3685600	significant loci SNP 8 rs2126180 9 rs1073749 8 rs1073749 8 rs1073749 9 rs178381 37 rs1341726 36 rs2011302 89 rs2719164 0 rs9834970	for BD P 1.6×10 7.2×10 4.8×11 2.7×10 2.1×10 4.3×11 4.9×11 5×11 5×11 5×12	from 0.8 or 0R s. 0-* 1.058 0. 0-* 1.056 0. 0-* 1.068 0. 0-* 1.068 0. 0-* 1.055 0. 0-* 1.055 0. 0-* 1.055 0. 0-* 1.053 0. 0-* 1.053 0.	 A1/ A1/ A2 A2 A2 A3 A4 A2 A4 A2 A4 A2 A4 A4 A5 A4 A5 <li< td=""><td>917 case free in contr 0.457 0.444 0.670 0.924 0.758 0.377 0.564 0.485</td><td>es and 371,549 cor Previous report for BD (citation) MAN2L (PGC2) Intergenic (PGC2)</td><td>trols Name for novel loo UINC01748 NUF2 CERS6 PCGEM1</td><td>CDG CDG CDG CDG CDG CDG CDG CDG CDG CDG</td><td>us for stric tern</td></li<>	917 case free in contr 0.457 0.444 0.670 0.924 0.758 0.377 0.564 0.485	es and 371,549 cor Previous report for BD (citation) MAN2L (PGC2) Intergenic (PGC2)	trols Name for novel loo UINC01748 NUF2 CERS6 PCGEM1	CDG CDG CDG CDG CDG CDG CDG CDG CDG CDG	us for stric tern
Sipolar Disorder	Table Locus 1 2 3* 4 5 6 7 8* 9*	1 Gen CHR 1 1 2 2 2 2 2 2 3 3 3	61105664 16374531 97416153 16615238 16948188 1937383 1944378 3685603 5262644	significant loci SNP 8 rs2126180 9 rs1073749 1 rs4619651 9 rs1718381 7 rs134172- 3 rs13417- 3 rs147- 3	for BD P 1.6×10 7.2×10 4.8×11 2.7×10 4.3×11 4.3	from u OR s. 0-* 1.058 0. 0-* 1.056 0. 0-* 1.068 0. 0-* 1.068 0. 0-* 1.055 0. 0-* 1.053 0. 0-* 1.053 0. 0-* 1.053 0. 0-* 1.057 0.	 A1/ A1/ A2 A2 A2 A3 A4 C/T G/A <l< td=""><td>917 case fre. 1 0.457 0.444 0.670 0.924 0.758 0.377 0.564 0.487 0.487</td><td>es and 371,549 cor Previous report⁴ for BD (citation) MANZL (PGC2) IN2A (PGC2) Intergenic (PGC2) ITANKT (PGC2) ITHIN (PGC2)</td><td>trols Name for novel low UNC01748 NUF2 CERS6 PCGEM1</td><td>CDG CDG CDG CDG CDG CDG CDG CDG SCZ, 4</td><td>us for taric ters</td></l<>	917 case fre. 1 0.457 0.444 0.670 0.924 0.758 0.377 0.564 0.487 0.487	es and 371,549 cor Previous report ⁴ for BD (citation) MANZL (PGC2) IN2A (PGC2) Intergenic (PGC2) ITANKT (PGC2) ITHIN (PGC2)	trols Name for novel low UNC01748 NUF2 CERS6 PCGEM1	CDG CDG CDG CDG CDG CDG CDG CDG SCZ, 4	us for taric ters
Bipolar Disorder	Table Lacus 1 2 3 4 5 6 7 8 9 9 9 10	1 Gen CHR 1 1 2 2 2 2 2 2 3 3 3 3 3	61105664 16374531 97416153 16615238 1694818 1937383 19443783 368560 5262644 7048878	significant loci SNP significant loci SNP significant school significant school school significant school significant school significant school significant school significant school school schoo	for BD P 1.6×10 7.2×10 4.8×1 2.7×10 2.1×10 4.3×1 4.9×1 4.9×1 5×1 3.6×1 2.4×1	from	 A1/ A1/ A2 009 A/G 009 C/T 009 C/T 009 G/A 011 C/G 011 C/G 011 C/G 011 C/G 012 C/A 	917 case fre. 1 0.457 0.444 0.670 0.924 0.758 0.377 0.564 0.487 0.487 0.48 0.487	es and 371,549 cor Previous report ⁴ for BD (citation) MAN2L (PGC2) 2N2A (PGC2) 2N2A (PGC2) Intergenic (PGC2) TRANKI (PGC2) (TiH) (PGC2)	trois Name for novel loo LINC01748 NUF2 CERS6 PCGEM1 MDRIC2	cus ^a Previc report paych disorc CDG CDG CDG CDG CDG SCZ, SCZ, (us for stric ers

LESSONS LEARNED FROM DNA LESSONS LEARNED FROM THE DNA OF INDIVIDUALS WITH PSYCHIATRIC DISORDERS LESSONS LEARNED: 1. Literally many hundreds of regions of the genome that increase risk for mental illness have been identified The statistics are strong, but the effects of individual genetic loci are 2. very weak Genetic risk does not respect dsm guidelines Prediction of individual illness liability based on genomic risk is so far 4. not of clinical value Ancestry matters 5. 6. GWAS IS A TREASURE MAP, BUT TO FIND THE TREASURE (I.E. THE GENES) REQUIRES A LOT MORE DIGGING. The environment still matters 8. Genetic discoveries provide biological insights into brain mechanisms of illness and potential strategies for treatment and prevention 26

LESSONS LEARNED FROM DNA LESSONS LEARNED FROM THE DNA OF INDIVIDUALS WITH PSYCHIATRIC DISORDERS LESSONS LEARNED: 1. Literally many hundreds of regions of the genome that increase risk for mental illness have been identified The statistics are strong, but the effects of individual genetic loci are 2. very weak Genetic risk does not respect dsm guidelines 3. Prediction of individual illness liability based on genomic risk is so far 4. not of clinical value Ancestry matters 5. GWAS is a treasure map, but to find the treasure (i.e. the genes) 6. requires a lot more digging 7. The environment still matters 8. GENETIC DISCOVERIES PROVIDE BIOLOGICAL INSIGHTS INTO BRAIN MECHANISMS OF ILLNESS AND POTENTIAL STRATEGIES FOR TREATMENT AND PREVENTION 30

